



LED AT WORK PTE LTD.

Add: 61 KAKI BUKIT AVE 1
#02-04 SHUN LI INDUSTRIAL PARK
SINGAPORE 417943

Tel: +65 6748 1033

Fax: +65 6846 6088

E-mail: ledatworkpteltd@gmail.com



www.ledatwork.com.sg

LED EXTERIOR LIGHTING

V3.0

Contents

Spot Light



LD51026 BLK
02



LD51126 BLK
02



LD51226 BLK
02



LD54001 BLK
03



LD54002 BLK
03



LD54003 BLK
03



LD51326 BLK
04



LD54005 BLK
04



LD54004 BLK
04



LD51071 BLK
06



LD51171 BLK
06



LD51089 BLK
07



LD51489 BLK
07



LD51427 BLK
08



LD51421 BLK
08



LD51423 BLK
09



LD51425 BLK
9



LD55880 BLK
10



LD55879 BLK
10



LD58064 BLK
10



LD51429S
12



LD51429M
12



LD51429L
12



LD51026 TTM
14



LD51126 TTM
14



LD51226 TTM
14



LD54001 TTM
15



LD54002 TTM
15



LD54003 TTM
15



LD51326 TTM
16



LD54005 TTM
16



LD54004 TTM
16



LD51071 TTM
18



LD51171 TTM
18



LD51089 TTM
19



LD51489 TTM
19



LD51421 TTM
20

Spot Light



LD51486 TTM
20



LD51423 TTM
22



LD51425 TTM
22



LD51006
24



LD51106
24



LD51206
24



LD51306
24



LD51409 SS
25



LD51401 SS
25



LD51403 SS
26



LD51405 SS
26



LD51093
27



LD51193
27



LD51293
28



LD51393
28



LD51094 PIR
28



LD51016
30



LD51116
30



LD51216
30



LD51316
30



LD51403 CP
31



LD51405 CP
31



LD51412 CP
32



LD51413 CP
32



LD55851
34



LD55842 PIR
34



LD55851 PIR
35



LD55852 PIR
35



LD55044
36



LD58081
37



LD58082
37



LD58083
38



LD58084
38



LD58141
40



LD58142
40



LD58147
41



LD58148
41

Spot Light

						
LD58145 42	LD58146 42	LD58031 43	LD58032 43	LD58171 44	LD58172 44	LD58173 44
						
LD58021 45	LD58022 45	LD58110 SS 46	LD58110 AL 46	LD58110 BR 46		
						
LD55021 48	LD55022 48	LD55031 49	LD55032 49	LD55071 50	LD55072 50	LD55073 50
						
LD55101 51	LD55102 51	LD55103 52	LD55104 52	LD55652 53	LD55653 53	LD55654 54
						
LD55655 54	LD55656 54	LD55135 56	LD55136 56	LD55112 57	LD55112 PIR 57	LD55113 57
						
LD55114 58	LD55114 PIR 58	LD55115 58	LD55111 60	LD55111 PIR 60	LD55121 61	LD55122 61

Wall Light

						
LD55141 62	LD55142 62	LD55143 62	LD55161 64	LD55162 64	LD55163 64	LD55164 64
						
LD55171 65	LD55172 65	LD55173 65	LD55174 65	LD55175 66	LD55176 66	LD55241 67
						
LD55242 67	LD55243 67	LD55685 68	LD55686 68	LD55687 68	LD55250 69	LD56034 70
						
LD56035 70	LD56036 70	LD56037 70	LD55363 72	LD55364 72	LD55861 72	LD56001 73
						
LD56011 73	LD56021 73	LD56071 74	LD56072 74	LD56073 74	LD56074 74	LD56031 75
						
LD56032 75	LD56111 76	LD56121 76	LD56131 76	LD56141 76	LD56051 77	LD56052 77

Wall Light

Lawn Light

Lawn Light

Step Light



LD57661
112



LD57662
112



LD57663
112



LD57101
113



LD57102
113



LD57103
113



LD57111
114



LD57112
114



LD57113
114



LD55091
116



LD55092
116



LD55093
116



LD52960 BLK
117



LD52960 TIM
117



LD52961 BLK
117



LD52961 TIM
117



LD52901
118



LD52922
118



LD55681
118



LD55006
120



LD55004
120



LD55003
120

Inground Light



LD51827
122



LD51828
122



LD51831
123



LD51834
123



LD51832
124



LD51833
124



LD51835
124



LD51841
125



LD51842
125



LD51843
125



LD51845
125



LD52891
126



LD52892
126



LD52896
126

Inground Light



LD52860
127



LD57626
128



LD57626
128



LD57627
128



LD51701
129



LD51801
129



LD51906
130



LD51907
130



LD51908
130



LD51909
130

Underwater Light



LD58125 Brass
132



LD58125 Bronze
132



LD51491
132



LD51026 BLK




LD51126 BLK



LD51226 BLK

Spot Light

- Material:**
Aluminum body + tempered glass
- Finish:**
Powder coating
- Voltage:**
220-240V / 12V
- Socket:**
GU10 / MR16 Max.35W
- Safety Class:**
CLASS I
- IP Rating:**
IP65



Spot Light

Material:
Aluminum body + tempered glass

Finish:
Powerder coating

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD54001 BLK



LD54002 BLK



LD54003 BLK



LD51326 BLK



LD54005 BLK



LD54004 BLK

Spot Light

Material:
Aluminum body + tempered glass


Finish:
Powerder coating

Voltage:
220-240V / 12V


Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I


IP Rating:
IP65



LD51326 BLK



LD54005 BLK



LD54004 BLK




LD51071 BLK




LD51171 BLK

Spot Light

- Material:**
Aluminum body + tempered glass
- Finish:**
Powder coating
- Voltage:**
220-240V / 12V
- Socket:**
GU10 / MR16 Max.35W
- Safety Class:**
CLASS I
- IP Rating:**
IP65



LD51071 BLK



LD51171 BLK

Spot Light

Material:
Aluminum body + tempered glass


Finish:
Powerder coating

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD51089 BLK



LD51489 BLK



LD51427 BLK



LD51421 BLK

Spot Light

Material:
Aluminum body + tempered glass


Finish:
Powerder coating

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



Spot Light

Material:
Aluminum body + tempered glass


Finish:
Powerder coating

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD51423 BLK



LD51425 BLK



LD55880 BLK



LD55879 BLK



LD58064 BLK

Spot Light

Material:
Aluminum body + tempered glass


Finish:
Powerder coating

Voltage:
220-240V / 12V


Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I


IP Rating:
IP65



LD55880 BLK



LD55879 BLK



LD58064 BLK



Spot Light

Material:
Aluminum body + tempered glass


Finish:
Powder coating


Voltage:
DC12V

LED:
LD51429S: COB 7W / 560Lm
LD51429M: COB 12W / 960Lm
LD51429L: COB 24W / 1920Lm

Safety Class:
CLASS I

IP Rating:
IP65





LD51026 TTM




LD51126 TTM



LD51226 TTM

Spot Light

- Material:**
Aluminum body + tempered glass
- Finish:**
Electrophoresis titanium
- Voltage:**
220-240V / 12V
- Socket:**
GU10 / MR16 Max.35W
- Safety Class:**
CLASS I
- IP Rating:**
IP65



Spot Light

Material:
Aluminum body + tempered glass

Finish:
Electrophoresis titanium

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65




LD54001 TTM



LD54002 TTM



LD54003 TTM



LD51326 TTM



LD54005 TTM



LD54004 TTM

Spot Light

Material:
Aluminum body + tempered glass




Finish:
Electrophoresis titanium

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65






LD51071 TTM




LD51171 TTM

Spot Light

- Material:**
Aluminum body + tempered glass
- Finish:**
Powder coating
- Voltage:**
220-240V / 12V
- Socket:**
GU10 / MR16 Max.35W
- Safety Class:**
CLASS I
- IP Rating:**
IP65



LD51071 TTM



LD51171 TTM

Spot Light

Material:
Aluminum body + tempered glass


Finish:
Electrophoresis titanium

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD51089 TTM



LD51489 TTM



LD51421 TTM



LD51486 TTM

Spot Light

Material:
Aluminum body + tempered glass


Finish:
Electrophoresis titanium

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W


Safety Class:
CLASS I

IP Rating:
IP65






LD51423 TTM



LD51425 TTM

Spot Light

- Material:**
Aluminum body + tempered glass
- Finish:**
Electrophoresis titanium
- Voltage:**
220-240V / 12V
- Socket:**
GU10 / MR16 Max.35W
- Safety Class:**
CLASS I
- IP Rating:**
IP65





LD51006



LD51106



LD51206



LD51306

Spot Light

Material:
Stainless steel body + tempered glass


Finish:
Natural

Voltage:
220-240V / 12V


Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I


IP Rating:
IP65




LD51006



LD51106



LD51206



LD51306

Spot Light

Material:
Stainless steel body + tempered glass


Finish:
Natural

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD51409 SS LD51401 SS




LD51409 SS



LD51401 SS



LD51403 SS



LD51405 SS

Spot Light

Material:
Stainless steel body + tempered glass


Finish:
Natural

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD51403 SS LD51405 SS

Spot Light

Material:
Stainless steel body + tempered glass


Finish:
Natural

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP44



LD51093



LD51193



LD51293



LD51393



LD51094 PIR

Spot Light

Material:
Stainless steel body + tempered glass


Finish:
Natural

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP44





LD51016



LD51116



LD51216



LD51316

Spot Light

Material:
Solid copper body + tempered glass


Finish:
Natural

Voltage:
220-240V / 12V


Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I


IP Rating:
IP65




LD51016



LD51116



LD51216



LD51316

Spot Light

Material:
Solid copper body + tempered glass



Finish:
Natural

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD51403 CP LD51405 CP

Spot Light

Material:
Solid copper body + tempered glass


Finish:
Natural

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD51412 CP LD51413 CP




LD55851




LD55852

Spot Light

- Material:**
Aluminum body + tempered glass
- Finish:**
Powder coating
- Voltage:**
220-240V
- LED:**
LD55851: COB 1x9W / 720Lm
LD55852: COB 2x9W / 1440Lm
- CCT:**
3000K / 4000K / 6000K
- Safety Class:**
CLASS I ⚡
- IP Rating:**
IP65 ⚡ ⚡ ⚡ ⚡



LD55851



LD55852

Spot Light

Material:
Aluminum body + tempered glass + motion sensor

Finish:
Powder coating

Voltage:
220-240V

LED:
LD55851: COB 1x9W / 720Lm
LD55852: COB 2x9W / 1440Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I


IP Rating:
IP65




LD55851 PIR



LD55852 PIR



LD55851 PIR



LD55852 PIR



LD55044

Wall Light


Material:
Aluminum body + Tentered glass

Voltage:
220-240V

Socket:
E27 Max.35W

Safety Class:
CLASS I

IP Rating:
IP54



LD55044

Spot Light

Material:
Aluminum body + tempered glass


Finish:
Powerder coating

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD58081



LD58082



LD58083



LD58084

Spot Light

Material:
Aluminum body + tempered glass


Finish:
Powerder coating

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65






LD58141


LD58142

Spot Light

- Material:**
Aluminum body + tempered glass
- Finish:**
Powder coating
- Voltage:**
220-240V / 12V
- Socket:**
GU10 / MR16 Max.35W
- Safety Class:**
CLASS I
- IP Rating:**
IP54



LD58141



LD58142

Spot Light

Material:
Solid brass body + tempered glass


Finish:
Natural

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD58147




LD58148



LD58145



LD58146



Spot Light

Material:
Solid brass body + tempered glass

Finish:
Electroplating brozne

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP54



Spot Light

Material:
Aluminum body + tempered glass

Finish:
Powerder coating


Voltage:
220-240V / 12V

LED:
COB 3W / 240Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP65



LD58031 LD58032



LD58031A LD58032A



LD58031



LD58031A



LD58032



LD58032A



LD58171



LD58172



LD58173



LD58171A



LD58172A



LD58173A

Spot Light

Material:
Aluminum body + tempered glass

Finish:
Powerder coating


Voltage:
220-240V / 12V

LED:
LD58171: COB 3W / 240Lm
LD58172: COB 5W / 400Lm
LD58173: COB 7W / 560Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP65



LD58171 LD58172 LD58173



LD58171A LD58172A LD58173A

Spot Light

Material:
Aluminum body + tempered glass


Finish:
Powder coating

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65



LD58021



LD58022



LD58110 SS



LD58110 AL



LD58110 BR

Spot Light

Material:
LD58110 SS: Stainess steel + PC
LD58110 AL: Aluminum + PC
LD58110 BR: Brass + PC

Finish:
Powder coating

Voltage:
12V


LED:
LD58110: LED 7W / 560Lm

Socket:
LD58110: G4 Max.20W

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS II

IP Rating:
IP65



LD58110



LD55021



LD55022

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55021: SMD 12W / 400Lm
LD55022: SMD 9W / 350Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I ⚡

IP Rating:
IP54 ⚡



Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
SMD 6W / 280Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55031



LD55032



LD55071



LD55072



LD55073

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55071 / LD55072: SMD 4W / 160Lm
LD55073: SMD 6W / 220Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I


IP Rating:
IP54



LD55071



LD55072



LD55073

Wall Light

Material:
Aluminum body + frost glass


Voltage:
220-240V / 12V

LED:
LD55101: SMD 4W / 150Lm
LD55102: SMD 2x3W / 190Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:



LD55101



LD55102



LD55103



LD55104

Wall Light

Material:
Aluminum body + frost glass


Voltage:
220-240V / 12V

LED:
LD55103: SMD 6W / 350Lm
LD55104: SMD 2x5W / 640Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:



Wall Light

Material:
Aluminum body + frost glass


Voltage:
220-240V / 12V

LED:
LD55652: SMD 4W / 150Lm
LD55653: SMD 2x3W / 190Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55652



LD55653



LD55654



LD55655



LD55656

Wall Light

Material:
Aluminum body + frost glass



Voltage:
220-240V / 12V

LED:
LD55654: SMD 6W / 350Lm
LD55655: SMD 2x5W / 640Lm
LD55656: SMD 2x6W / 700Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54





LD55135



LD55136

Spot Light

Material:
Aluminum body + tempered glass

Finish:
Powder coating


Voltage:
220-240V

LED:
LD55135: COB 2x3W / 350Lm
COB 2x5W / 620Lm
LD55136: COB 2x3W / 350Lm
COB 2x5W / 620Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



Wall Light


Material:
Aluminum body + clear tempered glass

Voltage:
220-240V


Socket:
GU10 Max.35W

Safety Class:
CLASS I


IP Rating:
IP44



LD55112



LD55112 PIR



LD55113



LD55112



LD55112 PIR



LD55113



LD55114



LD55114 PIR



LD55115

Wall Light


Material:
Aluminum body + clear tempered glass

Voltage:
220-240V


Socket:
GU10 Max.35W

Safety Class:
CLASS I


IP Rating:
IP44



LD55114



LD55114 PIR



LD55115




LD55111




LD55111 PIR

Wall Light

- Material:**
Aluminum body + clear tempered glass
- Voltage:**
220-240V
- Socket:**
GU10 Max.35W
- Safety Class:**
CLASS I
- IP Rating:**
IP44



LD55111



LD55111 PIR

Wall Light


Material:
Aluminum body + clear tempered glass

Voltage:
220-240V


LED:
LD55121 2x3W
LD55122 2x3W

Safety Class:
CLASS I

IP Rating:
IP54



LD55121



LD55122



LD55121



LD55122



LD55141



LD55143



LD55142

Wall Light

Material:
Aluminum body + clear tempered glass


Voltage:
220-240V

LED:
LD55141 / LD55142: CREE 2x3W / 150Lm
LD55143: SMD 6W / 400Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I


IP Rating:
IP54



LD55141



LD55142



LD55143



LD55161



LD55162



LD55163



LD55164

Wall Light

Material:
Aluminum body + clear tempered glass

Voltage:
220-240V


LED:
LD55161 / LD55163: COB 5W / 200Lm
LD55162 / LD55164: COB 2x5W / 400Lm

Socket:
LD55161 / LD55163: GU10 Max.35W
LD55162 / LD55164: 2xGU10 Max.35W

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55171: SMD 10W / 300Lm
LD55172: SMD 2x5W / 370Lm
LD55173: SMD 12W / 400Lm
LD55174: SMD 2x6W / 450Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55171



LD55172



LD55173



LD55174



LD55175



LD55176

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55175: SMD 14W / 500Lm
LD55176: SMD 2x7W / 550Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55241: SMD 12W / 670Lm
LD55242: SMD 12W / 350Lm
LD55243: SMD 12W / 390Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I


IP Rating:



LD55241



LD55242



LD55243



LD55241



LD55242



LD55243



LD55685



LD55686



LD55687

Wall Light

Material:
Aluminum body + opal PC

Voltage:
220-240V

LED:
LD55685: SMD 10W / 850Lm
LD55686: SMD 10W / 800Lm
LD55687: SMD 10W / 650Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:



LD55685



LD55686



LD55687

Wall Light

Material:
Stainless steel body + Clear tempered glass

Voltage:
220-240V


Socket:
E27 Max.35W

Safety Class:
CLASS I

IP Rating:
IP44



LD55250



LD55250



LD56034



LD56035



LD56036



LD56037

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD56034 / LD56035: SMD 10W / 600Lm
LD56036 / LD56037: SMD 10W / 400Lm

CCT:
3000K / 4000K / 6000K


Safety Class:
CLASS I

IP Rating:
IP54



LD56034

LD56035



LD56036

LD56037



LD55363



LD55364



LD55861

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55363: SMD 10W / 600Lm
LD55364 / LD55861: SMD 10W / 700Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I ⚡


IP Rating:
IP54 ⚡



LD55363



LD55364



LD55861

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD56001: SMD 6W / 260Lm
LD56002: SMD 10W / 560Lm
LD56003: SMD 30W / 1000Lm
LD56011: SMD 6W / 190Lm
LD56012: SMD 10W / 500Lm
LD56013: SMD 30W / 860Lm
LD56021: SMD 6W / 240Lm
LD56022: SMD 10W / 550Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD56001
LD56002
LD56003



LD56011
LD56012
LD56013



LD56021
LD56022



LD56071



LD56072



LD56073



LD56074

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD56071: SMD 20W / 800Lm
LD56072: SMD 20W / 700Lm
LD56073 / LD56074: SMD 20W / 750Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
SMD 20W / 680Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD56031



LD56032



LD56111
LD56112



LD56131
LD56132



LD56121
LD56122



LD56141
LD56142

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD56111 / LD56131: SMD 10W / 800Lm
LD56121 / LD56141: SMD 10W / 700Lm
LD56112 / LD56132: SMD 5W / 400Lm
LD56122 / LD56142: SMD 5W / 350Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



Wall Light

Material:
Aluminum body + opal PC

Voltage:
220-240V

LED:
LD56051: SMD 10W / 360Lm
LD56052: SMD 20W / 800Lm
LD56053: SMD 30W / 1600Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I


IP Rating:
IP54




LD56051



LD56052



LD56053






LD56061



LD56062



LD56063



Wall Light

Material:
Aluminum body + opal PC

Voltage:
220-240V

LED:
LD56061: SMD 10W / 360Lm
LD56062: SMD 20W / 800Lm
LD56063: SMD 30W / 1600Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55691



LD55695

Wall Light

Material:
Aluminum body + clear glass +
opal PC reflector


Voltage:
220-240V

LED:
SMD 12W / 850Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55691



LD55695

Wall Light


Material:
Stainless steel body + clear acrylic

Voltage:
220-240V

Socket:
E27 Max.12W A60 LED bulb

Safety Class:
CLASS I

IP Rating:
IP54



LD55524A



LD55524B



LD56316

Wall Light


Material:
Copper boby

Voltage:
12V

Socket:
MR16 Max.35W

Safety Class:
CLASS II

IP Rating:
IP20



Wall Light

Material:
Stainless steel body + clear acrylic

Voltage:
220-240V

Socket:
E27 Max.12W A60 LED bulb

Safety Class:
CLASS I

IP Rating:
IP54



LD55525



LD55531



LD55532



LD56151

Wall Light

Material:
Aluminum body + clear tempered glass


Voltage:
220-240V

LED:
LD55531:
COB 2x6W / 1200Lm
COB 2x9W / 1800Lm
LD55532 / LD56151:
COB 8W / 800Lm
COB 12W / 1200Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP65



Wall Light

Material:
Aluminum body + clear tempered glass


Voltage:
220-240V

LED:
LD55533:
COB 2x10W / 2000Lm
COB 2x12W / 2400Lm
LD55534 / LD56152 / LD58091:
COB 12W / 1200Lm
COB 18W / 1800Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP65



LD55533



LD55534



LD55535



LD56152



LD58091



LD55536

Wall Light

Material:
Aluminum body + clear tempered glass


Voltage:
220-240V

LED:
LD55535:
COB 2x15W / 3000Lm
COB 2x20W / 4000Lm
LD55536:
COB 18W / 1800Lm
COB 24W / 2400Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP65



Wall Light

Material:
Aluminum body + clear glass


Voltage:
220-240V

LED:
LD55561: SMD 2x4.5W / 430Lm
LD55562: SMD 4.5W / 200Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55561



LD55562



LD53661



LD53665

Wall Light

Material:
Aluminum body + clear glass


Voltage:
220-240V

LED:
COB 9W / 400Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54





LD55390



LD55391



LD55392



LD55393

Wall Light

Material:
Aluminum body + opal PC reflector
+ clear glass


Voltage:
220-240V

LED:
LD55390: SMD 5W / 280Lm
LD55391: SMD 10W / 560Lm
LD55392: SMD 15W / 900Lm
LD55393: SMD 20W / 1200Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I


IP Rating:
IP54




LD55390



LD55391



LD55392



LD55393

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55871: SMD 6W / 300Lm
LD55873: SMD 2x6W / 600Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55871



LD55873



LD55871



LD55873



LD55872



LD55874

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55872: SMD 6W / 300Lm
LD55874: SMD 2x6W / 600Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55872



LD55874

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55875: SMD 6W / 300Lm
LD55877: SMD 2x6W / 600Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55875



LD55877



LD55875



LD55877



LD55876



LD55878

Wall Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
LD55876: SMD 6W / 300Lm
LD55878: SMD 2x6W / 600Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD55876



LD55878



LD51622



LD51601 BLK



LD51601 TTM



LD51601 SS

Lawn Light


Material:
LD51622:
Aluminum body + opal PC
LD51601 BLK / LD51601 TTM:
Aluminum body + clear acrylic
LD51601 SS:
Stainless steel + clear acrylic

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP65






LD58188

LD58187

LD58189

Lawn Light

- Material:**
Aluminum body + clear tempered glass
- Voltage:**
220-240V / 12V
- Socket:**
GU10 / MR16 Max.35W
- Safety Class:**
CLASS I
- IP Rating:**
IP54



Lawn Light


Material:
LD58073 SS / LD58073:
Stainless steel body + frost acrylic
LD58073B:
Stainless steel body + clear acrylic

Voltage:
220-240V

Socket:
E27 Max.12W A60

Safety Class:
CLASS I

IP Rating:
IP54



LD58073 H0.19 SS
LD58073 H0.6 SS
LD58073 H0.9 SS



LD58073 H0.19
LD58073 H0.6
LD58073 H0.9



LD58073B H0.19
LD58073B H0.6
LD58073B H0.9



LD58071A H0.3
LD58071A H0.6
LD58071A H1.0



LD58071 H0.3
LD58071 H0.6
LD58071 H1.0



LD58072 H0.3
LD58072 H0.6
LD58072 H1.0

Lawn Light

Material:
LD58071 / LD58072:
Aluminum body + opal PC reflector +
clear glass
LD58071A:
Aluminum body + frost acrylic


Voltage:
220-240V

LED:
LD58071 / LD58072:
SMD 12W / 850Lm
LD58071A:
SMD 12W / 700Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP65





LD58074 H0.3
LD58074 H0.6
LD58074 H1.0



LD58074B H0.3
LD58074B H0.6
LD58074B H1.0

Lawn Light

- Material:**
Aluminum body + clear glass
- Voltage:**
220-240V
- LED:**
SMD 24W / 1500Lm
- CCT:**
3000K / 4000K / 6000K
- Safety Class:**
CLASS I
- IP Rating:**
IP65



LD58074 H0.3
LD58074 H0.6
LD58074 H1.0



LD58074B H0.3
LD58074B H0.6
LD58074B H1.0

Lawn Light

Material:
Aluminum body + opal PC


Voltage:
220-240V

LED:
SMD 5W / 260Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD58151



LD58152



LD58153



LD58154



LD58161




LD58162



LD58163



LD58164



Lawn Light

Material:
Aluminum body + opal PC

Voltage:
220-240V

LED:
SMD 5W / 260Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



Lawn Light

Material:
Aluminum body + clear glass


Voltage:
220-240V

LED:
COB 9W / 480Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD58185 H0.3 LD58185 H0.6 LD58185 H0.9

Lawn Light

Material:
Aluminum body + clear glass


Voltage:
220-240V

LED:
COB 15W / 920Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54



LD58186 H0.3 LD58186 H0.6 LD58186 H0.9




LD57641



LD57642

Step Light

- Material:**
Aluminum body + clear PC
- Voltage:**
220-240V / 12V
- LED:**
High power 1W / 70Lm
- CCT:**
3000K / 4000K / 6000K
- Safety Class:**
CLASS I
- IP Rating:**
IP65



Step Light

Material:
Aluminum body + clear PC


Voltage:
220-240V / 12V

LED:
LD57652: SMD 3W / 150Lm
LD57654: SMD 5W / 250Lm
LD57656: SMD 8W / 400Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS II 

IP Rating:
   



LD57652



LD57654



LD57656



LD57651



LD57653



LD57655

Step Light

Material:
Aluminum body + clear PC


Voltage:
220-240V / 12V

LED:
LD57651: SMD 3W / 150Lm
LD57653: SMD 5W / 250Lm
LD57655: SMD 8W / 400Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS II 

IP Rating:
   





LD57661



LD57662



LD57663

Step Light

Material:
Aluminum body + frost glass

Voltage:
220-240V / 12V

LED:
LD57661: SMD 3W / 120Lm
LD57662: SMD 5W / 200Lm
LD57663: SMD 10W / 400Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I


IP Rating:
IP65



LD57661



LD57662



LD57663

Step Light

Material:
Aluminum body + frost glass

Voltage:
220-240V / 12V

LED:
LD57101: SMD 3W / 120Lm
LD57102: SMD 5W / 230Lm
LD57103: SMD 10W / 550Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54




LD57101



LD57102



LD57103



Step Light

Material:
Aluminum body + frost glass

Voltage:
220-240V / 12V

LED:
LD57111: SMD 3W / 120Lm
LD57112: SMD 5W / 230Lm
LD57113: SMD 10W / 550Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54




LD57111



LD57112



LD57113





LD55091



LD55092



LD55093

Step Light

Material:
Aluminum body + opal PC

Voltage:
220-240V / 12V

LED:
LD55091: SMD 3W / 200Lm
LD55092: SMD 6W / 350Lm
LD55093: SMD 10W / 600Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I


IP Rating:
IP65



LD55091



LD55092



LD55093

Step Light

Material:
Aluminum body + opal PC


Voltage:
220-240V / 12V

LED:
LD52960: SMD 5W / 250Lm
LD52961: SMD 5W / 150Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP65



LD52960



LD52961



LD52960 BLK



LD52960 TTM



LD52961 BLK



LD52961 TTM



LD52901



LD52922



LD55681

Step Light

Material:
LD52901: Stainless steel 316 + frost glass
LD52922: Aluminum + frost glass
LD55681: Solid brass + frost glass


Voltage:
220-240V / 12V

LED:
SMD 2.3W / 120Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP65





LD55006



LD55004



LD55003

Step Light

Material:
LD55006: Stainless steel 316 + frost glass
LD55004: Aluminum + frost glass
LD55003: Solid brass + frost glass

Voltage:
220-240V / 12V

LED:
SMD 6.5W / 260Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP54





LD51827



LD51828

Inground Light

Material:
Aluminum body + stainless steel cover + tempered glass


Voltage:
220-240V / 12V

LED:
LD51827: COB 3W / 270-300Lm
LD51828: COB 5W / 400-450Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:
IP67



LD51827



LD51828

Inground Light

Material:
Aluminum body + stainless steel cover + tempered glass


Voltage:
220-240V / 12V

LED:
LD51831: COB 7W / 550-650Lm
LD51834: COB 30W / 2400-2600Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:



LD51831



LD51834



LD51831

LD51834



LD51832



LD51833



LD51835

Inground Light

Material:
Aluminum body + stainless steel cover + tempered glass


Voltage:
220-240V / 12V

LED:
LD51832: COB 10W / 800-900Lm
LD51833: COB 20W / 1600-1800Lm
LD51835: COB 30W / 2400-2600Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I


IP Rating:



LD51832



LD51833



LD51835

Inground Light

Material:
Stainless steel body + stainless steel cover
+ tempered glass


Voltage:
220-240V / 12V

LED:
LD51841: High power 3W / 250-300Lm
LD51842: High power 5W / 400-450Lm
LD51843: High power 12W / 950-1100Lm
LD51845: High power 15W / 1200-1350Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:



LD51841



LD51842



LD51843



LD51845



LD52891



LD52892



LD52896

Inground Light

Material:
Stainless steel body + stainless steel cover
+ tempered glass


Voltage:
220-240V / 12V

LED:
High power 1W / 80-90Lm

CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS I

IP Rating:



Inground Light

Material:
Stainless steel body + stainless steel cover
+ tempered glass

Voltage:
12V

LED:
COB 3W / 250-300Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS II

IP Rating:
IP67



LD52860



LD57626



LD57627

Inground Light

Material:
Stainless steel body + stainless steel cover
+ tempered glass


Voltage:
12V

LED:
LD52881: COB 3W / 250-300Lm
LD52882: COB 5W / 380-450Lm


CCT:
3000K / 4000K / 6000K

Safety Class:
CLASS II

IP Rating:
IP65



LD57626



LD57627

Inground Light


Material:
Aluminum body + stainless steel cover + tempered glass

Voltage:
220-240V / 12V


Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP67



LD51701



LD51801



LD51701



LD51801



LD51906



LD51908



LD51907



LD51909

Inground Light


Material:
Stainless steel body + stainless steel cover + tempered glass

Voltage:
220-240V / 12V

Socket:
GU10 / MR16 Max.35W

Safety Class:
CLASS I

IP Rating:
IP67





LD58125 Brass



LD58125 Brozne



LD51491

Underwater Light

Material:
LD58125: Brass + tempered glass
LD51491: Stainless steel 316 + tempered glass

Finish:
LD58125 Brass / LD51491: Natural
LD58125 Brozne: Electroplating brozne

Voltage:
12V

Socket:
MR16

IP Rating:
IP68

Applicable for pond,fountain,pool.

