




*Minimalist Interior*



Extruded aluminum material.  
Electrostatic sand powder coating.  
No external screws.  
Four different colour options.(DIA.70)  
Anti glare design.  
Easy installation(to change the bulb).





## SURFACE LIGHT

Extruded aluminum material.  
Electrostatic sand powder coating.  
No external screws.  
Four different colour options.(DIA.70)  
Anti glare design.  
Easy installation(to change the bulb).



C7431/C7441



C6591/C7201



C7151/C6831



C6801/C7271



C6721/C7261



C6722/C7262



C6723/C7263



C7281/C7471



C6871/C7211



C6711/C741



C6161/C771/C7221



C7111



G9002



OPTIONAL


FINISH OPTIONAL ● :Standard

- Finish body ● ☐ WH ☒ BK
- Finish inside ● ☒ BK ☐ WH

IP20  



C7431




 GU10

LED-PAR11



1x 5W max

C7441



 GU10

LED-PAR11



1x 5W max



OPTIONAL

- FINISH OPTIONAL** ● :Standard

Finish body ● ☐ WH ☒ BK

Finish inside ● ☒ BK ☐ GD

# :GD just for GU10
- ACCESSORY**

☒ Honeycomb
- COB BEAM ANGLE** ● :Standard

● ☐ Ang. 24° ☒ Ang. 36° ☐ Ang. 15°
- COB COLOR TEMP** ● :Standard

● ☒ 3000K ☐ 4000K ☐ 5000K



C6591

|                                                                                                |               |            |  |
|------------------------------------------------------------------------------------------------|---------------|------------|--|
| <br>Ø68.5 | GU10          |            |  |
|                                                                                                | QPAR16        | 1x 50W max |  |
|                                                                                                | LED-PAR16     | 1x 7W max  |  |
| COB 3000K/Ang. 24°/Ra≥80                                                                       |               |            |  |
| CXA1512                                                                                        | 1x 15W(350mA) |            |  |

C7201

|                                                                                              |               |            |  |
|----------------------------------------------------------------------------------------------|---------------|------------|--|
| <br>Ø70 | GU10          |            |  |
|                                                                                              | QPAR16        | 1x 50W max |  |
|                                                                                              | LED-PAR16     | 1x 7W max  |  |
| COB 3000K/Ang. 24°/Ra≥80                                                                     |               |            |  |
| CXA1512                                                                                      | 1x 15W(350mA) |            |  |



OPTIONAL

FINISH OPTIONAL    ● :Standard  
Finish body    ● ☐ WH    ☒ BK

IP20  



C7151



Ø120

138(9W)  
180(32/40W)

 E27

LED-PAR30  
LED-PAR30



1x 9W max  
1x 32/40W max

C6831



Ø120

150

 E27

A60



1x 10.5W max



# OPTIONAL

- FINISH OPTIONAL**    ● :Standard

Finish body    ●   WH      BK


Finish inside    ●   BK
- ACCESSORY**

Honeycomb

IP20  



## C6801




 GU10

QPAR16  
LED-PAR16



1x 50W max  
1x 7W max

## C7271



 GU10

QPAR16  
LED-PAR16



1x 50W max  
1x 7W max



## OPTIONAL

### FINISH OPTIONAL

Finish body:  WH  BK  
Finish inside:  BK

### ACCESSORY


Honeycomb




IP20 CE



### C6721



### C7261




### GU10




QPAR16 1x 50W max  
LED-PAR16 1x 7W max

### C6722



### C7262




### GU10




QPAR16 2x 50W max  
LED-PAR16 2x 7W max

### C6723



### C7263



### GU10



QPAR16 3x 50W max  
LED-PAR16 3x 7W max



# OPTIONAL

| FINISH OPTIONAL |                                                                      | ● :Standard |
|-----------------|----------------------------------------------------------------------|-------------|
| Finish body     | ● <input type="checkbox"/> WH <input checked="" type="checkbox"/> BK |             |
| Finish inside   | ● <input checked="" type="checkbox"/> BK <input type="checkbox"/> WH |             |

IP20




**C7281**

GU10



LED-PAR11

1x 5W max




**C7471**

GU10



LED-PAR11

1x 5W max





## OPTIONAL

### FINISH OPTIONAL

Finish body  WH  BK

Finish inside  BK

### ACCESSORY


 Honeycomb



Honeycomb

### C6871

 GU10




QPAR16  
LED-PAR16

1x 50W max  
1x 7W max

### C7211

 GU10



QPAR16  
LED-PAR16

1x 50W max  
1x 7W max



- OPTIONAL

FINISH OPTIONAL

● :Standard

Finish body

● WH

● BK

Finish inside

● BK

ACCESSORY

● Honeycomb
- IP20 CE
- 
- C6711
- 
- GU10
- QPAR16  
LED-PAR16
- 1x 50W max  
1x 7W max
- C7411
- 
- GU10
- QPAR16  
LED-PAR16
- 1x 50W max  
1x 7W max
- 17 LEDLUCÉ www.ledatwork.com.sg
- www.ledatwork.com.sg LEDLUCÉ 18



## OPTIONAL

### FINISH OPTIONAL

Finish body:  WH  BK  
Finish inside:  BK


### ACCESSORY

 Honeycomb (not for C6161)



Honeycomb

### C7221




### GU10

QPAR16  
LED-PAR16

1x 50W max  
1x 7W max

### C6161




### GU10

QPAR16  
LED-PAR16

1x 50W max  
1x 7W max

### C6771



### GU10

QPAR16  
LED-PAR16

1x 50W max  
1x 7W max



## OPTIONAL

### FINISH OPTIONAL

Finish body ● :Standard  
 Finish inside ● :Standard

### COB BEAM ANGLE

● :Standard  
 ● Ang. 24° ● Ang. 36° ● Ang. 15°

### COB COLOR TEMP

● :Standard  
 ● 3000K ● 4000K ● 5000K


### ACCESSORY

● Honeycomb



## C7111


GU10



QPAR16 1x 50W max  
 LED-PAR16 1x 7W max

COB 3000K/Ang. 24°/Ra≥80

CXA1512 1x 15W(350mA)



OPTIONAL

- FINISH OPTIONAL**


● :Standard

Finish body ● □ WH ■ BK


Finish inside ● ■ BK
- ACCESSORY**

● Honeycomb

IP20 CE



G9002



|           |            |
|-----------|------------|
| GU10      |            |
| QPAR16    | 1x 50W max |
| LED-PAR16 | 1x 7W max  |